



Non-Metallic Conduit System

***Non-metallic conduit from Canada's
leader of Flexible Conduit Systems.***



***Celebrating our first year manufacturing
NMUA Non-metallic Conduit in Canada***

Anamet Canada Inc.
PO Box 550
Colborne, Ontario K0K 1S0

Phone: (905) 355-2122
Fax: (905) 355-3110
www.anametcanada.com
E-mail: csr@anametcanada.com

Conduit and Tubing



Anamet's NMUA product now made in our plant in Colborne, Ontario!

- High quality Canadian-made product.
- Conduit meets all CSA and UL applicable standards.
- Tubing is CSA Approved and UL Recognized for tubing applications.
- Much easier installation than standard Liquid tight.
- Cuts with utility knife.
- All non-metallic for corrosion resistance.
- Custom colours available — consult factory



ORDERING INFORMATION

NMUA Conduit



UPC	Description	Trade Size	Standard Length Meters
622620 39302 9	Grey, smooth wall, heavy duty	3/8	30
622620 39312 8	Grey, smooth wall, heavy duty	1/2	30
622620 39322 7	Grey, smooth wall, heavy duty	3/4	30
622620 39331 9	Grey, smooth wall, heavy duty	1	30
622620 39341 8	Grey, smooth wall, heavy duty	1-1/4	15
622620 39353 1	Grey, smooth wall, heavy duty	1-1/2	15
622620 39361 6	Grey, smooth wall, heavy duty	2	15

NMEF Tubing



UPC	Description	Trade Size	Standard Length Meters
622620 39802 4	Black, corrugated, light duty	3/8	30
622620 39812 3	Black, corrugated, light duty	1/2	30
622620 39822 2	Black, corrugated, light duty	3/4	30
622620 39831 4	Black, corrugated, light duty	1	30
622620 39841 3	Black, corrugated, light duty	1-1/4	30
622620 39853 6	Black, corrugated, light duty	1-1/2	15
622620 39861 1	Black, corrugated, light duty	2	15

NM Kits (Hookup length of NMUA c/w connectors)



UPC	Description
622620 05162 2	1/2" NMUA flexible conduit @ 6'; 2 adjustable 0-90 degree connectors
622620 05182 0	1/2" NMUA flexible conduit @ 8'; 2 adjustable 0-90 degree connectors
622620 07572 7	3/4" NMUA flexible conduit @ 6'; 2 adjustable 0-90 degree connectors
622620 07592 5	3/4" NMUA flexible conduit @ 8'; 2 adjustable 0-90 degree connectors

NMLT Connectors



Use only Anamet's high quality connectors to complete your Conduit System.

- All plastic construction to compliment the Non-metallic conduit.
- Easy installation. Choice of one-piece connectors and standard multi-piece connectors.
- Unique 0° to 90° swivel connector available in 1/2" and 3/4"

ORDERING INFORMATION



UPC	Description	Size	Std. Ctn.
622620 95502 9	NMLT5090 - 0°-90° Swivel Type	1/2	10
622620 95752 8	NMLT7590 - 0°-90° Swivel Type	3/4	10



UPC	Description	Size	Std. Ctn.
622620 92003 4	NMSC38 (1 pc. screw on)	3/8	25
622620 92004 1	NMSC50 (1 pc. screw on)	1/2	25
622620 92005 8	NMSC75 (1 pc. screw on)	3/4	25




UPC	Description	Size	Std. Ctn.
622620 92000 3	NMSC9038 (1 pc. screw on)	3/8	25
622620 92001 0	NMSC9050 (1 pc. screw on)	1/2	25
622620 92002 7	NMSC9075 (1 pc. screw on)	3/4	25



UPC	Description	Size	Std. Ctn.
622620 00382 9	NMLT38 (Standard)	3/8	25
622620 00502 1	NMLT50 (Standard)	1/2	25
622620 00752 0	NMLT75 (Standard)	3/4	10
622620 00002 6	NMLT100 (Standard)	1	5
622620 12502 6	NMLT125 (Standard)	1-1/4	5
622620 15002 8	NMLT150 (Standard)	1-1/2	2
622620 20002 0	NMLT200 (Standard)	2	2



UPC	Description	Size	Std. Ctn.
622620 90382 2	NMLT9038 (Standard)	3/8	10
622620 90502 4	NMLT9050 (Standard)	1/2	10
622620 90752 3	NMLT9075 (Standard)	3/4	10
622620 90102 6	NMLT90100 (Standard)	1	5
622620 12592 7	NMLT90125 (Standard)	1-1/4	5
622620 15092 9	NMLT90150 (Standard)	1-1/2	2
622620 20092 1	NMLT90200 (Standard)	2	2



Anamet's new 0-90° Swivel Connector!

- Creates offset in straight position
- Easily changed by hand to any angle between 0° and 90°.
- Eliminates need for more than one connector in the field.
- Smooth internal radius for easy pushing wires through.
- Can be secured to conduit without disassembling the connector.



Anamet Canada Inc.
PO Box 550
Colborne, Ontario K0K 1S0



Phone: (905) 355-2122 Fax: (905) 355-3110

E-mail: csr@anametcanada.com

Save money with Anamet's NMUA Kit!

- Includes a hookup length of NMUA liquid tight conduit, and 2 0°-90° swivel connectors.
- Always have exactly what you need for your installation. Never fumble with the wrong connector.
- Control installation costs by knowing what you need for each installation.
- Cost of bundle less than conduit and connectors combined.

